

Wattages: 600W & 1200W



The Incon **222-02** LED Stadium Light delivers high-performance illumination engineered for professional sports fields, stadiums, and large outdoor venues. Available in **300W–1200W** configurations with efficacy up to 150 LPW, it provides powerful, energy-efficient output while reducing operating costs.

Includes an integrated laser aiming device and angle indicator for accurate field targeting and optimized uniformity.




SPECIFICATIONS

MODEL	222-02
WATTAGE	600W/500W/400W/300W 1200W/1000W/900W/800W
EFFICACY	Up to 150LPW
CCT	5000K
CRI	Ra>70
INPUT VOLTAGE	AC120-277V or AC277-480V
LIGHTING ANGLE	20°40°60°
OPERATING TEMPERATURE	-40°F ~113°F
PF	>0.9
DRIVER EFFICIENCY	>90%
PROTECTION LEVEL	WET
LIFE TIME	>50000 hours
WARRANTY	5 year limited


222-02 LED Stadium Light

Wattages: 600W & 1200W

DIMENSIONS:



Product Structure



222-02 LED Stadium Light

Wattages: 600W & 1200W

ORDERING GUIDE:

EXAMPLE:





222-02-600W-40-27K-50K

222	-02	-600 W	40	27K	50K	Options
Model	Generation	POWER	Beam Angle	INPUT VOLTAGE	CCT	Lens
222	-02	600W- 600W/500W/400W 1200W- 1200W/1000W/900W/800W	40-40°	27K-AC120-277V 48K-AC277-480V	50K-5000K	60OPT- 60° Lens 200OPT- 20° Lens (1200W Only)

PHOTOMETRICS:

600W (5000K,40°)

*For complete IES files, please visit our website or contact us.



600W (5000K,60°)

